JOURNAL OF MOLECULAR STRUCTURE, VOL. 172 (1988)

AUTHOR INDEX

Almond, M. J. 157
Ando, I. 395
Andreetti, G. D. 309
Arias, M. S. 381
Ault, B. S. 129

Bakken, P. 227
Bandoli, G. 369
Baran, J. 1
Barón, M. 355
Bellanato, J. 63
Berthault, P. 345
Bocelli, G. 309
Boggs, J. E. 241
Bostrøm, G. O. 227
Buep, A. H. 355

Cabezas, N. 381
Cano, F. H. 423
Chong, Y. S. 291
Cox, F. O. 183
Crowder, G. A. 151, 433

Durig, D. T. 165
Durig, J. R. 165, 183
Dzilinski, K. 317

Elguero, J. 423

Ferraro, M. 355
Filatov, I. V. 317
Florencio, F. 63, 381
Foces-Foces, C. 423

Galvez, E. 381
Garcia-Blanco, S. 381
Garcia, M. V. 49
Gdaniec, M. 401
Geyer, T. J. 165
Gluziński, P. 309
Goya, P. 423
Grassi, A. 369
Griesbaum, K. 203
Gurinovich, G. P. 317
Gurinovich, I. F. 317

Häfelinger, G. 401
Huang, H. H. 291

Ignatyev, I. S. 139
Ischenko, A. A. 255
Ivashin, N. V. 317

Jonvik, T. 203, 213

Kanesaka, I. 41
Katon, J. E. 113
Kawai, K. 41
Kawęcki, R. 309
Khaikin, L. S. 241
Kochikov, I. V. 299
Komatsu, N. 49
Komoto, T. 395
Konaka, S. 275
Kozerski, L. 309
Krajewski, J. S. 309
Krygowski, T. M. 401, 413
Kuczera, K. 73, 89, 101
Kuramshina, G. M. 299

Labarre, J.-F. 345
Lang, P. L. 113
Larsen, R. A. 183
Little, T. S. 165

Machara, N. P. 129
Maes, G. 23
Martinez, M. 381
Martinez-Ripoll, M. 423
Martin, N. 63
Maurin, J. 413
Medrano, J. A. 355
Mido, Y. 49
Miyamoto, H. 395
Montoneri, E. 369
Morcillo, J. 49

Ohta, H. 275
Ozaki, T. 395

Paez, J. A. 423
Pappalardo, G. C. 369
Pawelka, Z. 15
Pentin, Yu. A. 299
Perly, B. 345, 369

Ritter, G. 401

Saitô, H. 395
Seoane, C. 63
Shoji, A. 395
Shulga, A. M. 317
Sinyakov, G. N. 317
Smolders, A. 23
Spiridonov, V. P. 255
Stølevik, R. 227
Stuchebryukhov, A. A. 255
Suwa, A. 275
Syn'ko, S. V. 299
Szczepaniak, K. 73, 89, 101
Szczesniak, M. 73, 89, 101

Takezaki, R. 395
Tarasov, Yu. I. 255
Terekhov, S. N. 317
Turowska-Tyrk, I. 401

Urbańczyk-Lipkiwska, Z. 309

Van der Veken, B. J. 183
Vidaud, L. 345
Vilkov, L. V. 241

Winkler, D. A. 291

Zeegers-Huyskens, Th. 23

JOURNAL OF MOLECULAR STRUCTURE, VOLUME 172 (1988)

SUBJECT INDEX

2-Acetyl-5-methyl-1,2,3-diazaphosphole,
molecular structure and conformation of 2-acetyl-5-methyl-1,2,3-diazaphosphole: the use of ab initio calculations in an electron diffraction study 241
n-Alkyl trichloroacetates,
IR spectra, methylene chain vibrations and rotational isomerism of n-alkyl trichloroacetates 49
4-Amino-7,8-dioxo-5,6,7,8-tetrahydro-1*H*-pyrazino[2,3-*c*]-1,2,6-thiadiazine-2,2-dioxide olate oxonium salt,
the X-ray structure of 4-amino-7,8-dioxo-5,6,7,8-tetrahydro-1*H*-pyrazino-[2,3-*c*]-1,2,6-thiadiazine-2,2-dioxide olate oxonium salt and the problem of the structure of the oxonium ion 423
π-Anions
electronic structure of metalloporphyrin π-anions 317

tert-Butyl alcohol,
molecular structures of tert-butyl alcohol and tert-butyl methyl ether as studied by gas electron diffraction combined with vibrational spectroscopy 275
tert-Butyl methyl ether
molecular structures of tert-butyl alcohol and tert-butyl methyl ether as studied by gas electron diffraction combined with vibrational spectroscopy 275

CH_2ClSiX_3, $CHCl_2SiX_2$, CCl_3SiX_3 (X = H, D, F, Cl),
normal coordinate analysis of CH_2ClSiX_3, $CHCl_2SiX_2$, CCl_3SiX_3 (X = H, D, F, Cl) molecules using Tikhonov's regularization method 299
Chloroacetone,
solvent influence on rotational isomerism of chloroacetone 15
Chlorocyclobutane,
molecular structure and puckering potential of chlorocyclobutane studied by gas electron diffraction and Hartree–Fock calculations 213
Cognition activator,
solid-state structure and conformation of the cognition activator 3-phenoxypyridine sulphate: X-ray, two-dimensional ^{1}H NMR and ^{13}C NMR, and theoretical MO-MNDO studies 369
Cumulant method,
the cumulant method in diffraction analysis of polyatomic molecules 255
Cyclophosphazenic series,
202 MHZ ^{31}P NMR performances. Part V. Two-dimensional ^{31}P NMR approaches in the cyclophosphazenic series 345
Cytosine,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part III. Planar vibrations of cytosine 101
Cytosine derivatives,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part I. Planar vibrations of 1-methylcytosine 73
Cytosine derivatives,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part II. Planar vibrations of 5-fluorocytosine 89
Cytosine derivatives,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part III. Planar vibrations of cytosine 101

1,3-Dibromo-1,3-dimethylcyclobutane,
molecular structures of *trans* and *cis* 1,3-dibromo-1,3-dimethylcyclobutane studies by gas electron diffraction 203
1,2-Dichlorotetracyanoethane,
the conformations of 1,1,2,2-tetracyanoethane and 1,2-dichlorotetracyanoethane: a molecular orbital, dipole moment and Kerr effect study 291

trans-1,4-Dicyanocyclohexane,
unexpected chirality in *trans*-1,4-dicyanocyclohexane 355
Dimanganese heptoxide,
formation of dimanganese heptoxide, Mn_2O_7, by photolysis of $Mn_2(CO)_{10}$ in O_2-doped argon matrices 157
Dimethylalkanes,
molecular mechanics calculations for some dimethylalkanes 433
Dimethyl dicarbonate,
the vibrational spectra, structure, and conformational behavior of dimethyl dicarbonate 113
N,*N*-Dimethyl-*p*-nitroaniline,
crystallographic studies and physicochemical properties of π-electron systems. Part XIV. Crystal and molecular structure of *N*,*N*-dimethyl-*p*-nitroaniline 413

π-Electron compounds,
crystallographic studies and physicochemical properties of π-electron compounds. Part XI. Crystal and molecular structure of sodium-*p*-nitrobenzoate trihydrate 401
π-Electron systems,
crystallographic studies and physicochemical properties of π-electron systems. Part XIV. Crystal and molecular structure of *N*,*N*-dimethyl-*p*-nitroaniline 413
Enaminoester moiety,
spectral and structural study of the 4H-pyran ring containing an enaminoester moiety 63

F_2,
infrared matrix isolation studies of the reactions of F_2 with sulfur and phosphorus bases 129
5-Fluorocytosine,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part II. Planar vibrations of 5-fluorocytosine 89
3-Fluoropropene,
vibrational assignment and conformational equilibrium for 3-fluoropropene based on ab initio calculations and high resolution far-infrared spectroscopy 165

1,1,1,3,3,3-Hexafluoro-2-propanol,
Raman and far-infrared spectra of gaseous 1,1,1,3,3,3-hexafluoro-2-propanol conformational stability and barriers to internal rotation 183
1-Hexyne,
conformational behavior of 1-pentyne and 1-hexyne 151
High resolution far-infrared spectroscopy,
vibrational assignment and conformational equilibrium for 3-fluoropropene based on ab initio calculations and high resolution far-infrared spectroscopy 165
H_3XOXH_3 (X = C, Si) series,
the ab initio analysis of molecular geometry and force fields in H_3XOXH_3 (X = C, Si) series 139

N-(8-Isopropyl-northopan-3-α-yl)-2-methoxy-4-amino-5-chlorobenzamide,
synthesis and structural study of *N*-(8-isopropyl-northopan-3-α-yl)-2-methoxy-4-amino-5-chlorobenzamide 381

$KHSO_4$ and $KDSO_4$ single crystals,
polarized infrared spectra of $KHSO_4$ and $KDSO_4$ single crystals 1

Metalloprophyrin π-anions,
electronic structure of metalloporphyrin π-anions 317
1-Methylcytosine,
calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part I. Planar vibrations of 1-methylcytosine 73
Methylene chain vibrations,
IR spectra, methylene chain vibrations and rotational isomerism of n-alkyl trichloroacetates 49
Methyl thiolacetate,
hydrogen bonded complexes of methyl thiolacetate with proton donors: an infrared investigation in CCl_4 solution and in Ar matrices 23
Mn_2O_7,
formation of dimanganese heptoxide, Mn_2O_7, by photolysis of $Mn_2(CO)_{10}$ in O_2-doped argon matrices 157

$NaI \cdot 2X_2O$ (X = H or D),
the vibrational spectrum of $NaI \cdot 2X_2O$ (X = H or D) 41

Oxonium ion,
the X-ray structure of 4-amino-7,8-dioxo-5,6,7,8-tetrahydro-1*H*-pyrazino-[2,3-*c*]-1,2,6-thiadiazine-2,2-dioxide olate oxonium salt and the problem of the structure of the oxonium ion 423

^{31}P NMR,
202 MHZ ^{31}P NMR performances. Part V. Two-dimensional ^{31}P NMR approaches in the cyclophosphazenic series 345

1-Pentyne,
conformational behavior of 1-pentyne and 1-hexyne 151

3-Phenoxypyridine sulphate,
solid-state structure and conformation of the cognition activator 3-phenoxypyridine sulphate: X-ray, two-dimensional ^{1}H NMR and ^{13}C NMR, and theoretical MO-MNDO studies 369

(*N*-[(*S*)-1-Phenylethyl]-2-(*S*)-ethylsulfinyl-propenyl-1-amine,
the crystal and molecular structure of (−) *N*-[(*S*)-1-phenylethyl]-2-(*S*)-ethyl-sulfinyl-propenyl-1-amine 309

Polyatomic molecules,
the cumulant method in diffraction analysis of polyatomic molecules 255

Poly(L-phenylalanine),
conformational characterization of poly-(L-phenylalanine) in the solid state by ^{13}C CP-MAS NMR spectroscopy 395

Propenal,
torsional potentials and conformational structures in chloro and bromo derivatives of propenal and propenoic acid obtained by molecular-mechanics calculations 227

Propenoic acid,
torsional potentials and conformational structures in chloro and bromo derivatives of propenal and propenoic acid obtained by molecular-mechanics calculations 227

Proton donors,
hydrogen bonded complexes of methyl thiolacetate with proton donors: an infrared investigation in CCl_4 solution and in Ar matrices 23

4H-Pyran ring,
spectral and structural study of the 4H-pyran ring containing an enaminoester moiety 63

Sodium *p*-nitrobenzoate trihydrate,
crystallographic studies and physicochemical properties of π-electron compounds. Part XI. Crystal and molecular structure of sodium *p*-nitrobenzoate trihydrate 401

1,1,2,2-Tetracyanoethane,
the conformations of 1,1,2,2-tetracyanoethane and 1,2-dichlorotetracyanoethane: a molecular orbital, dipole moment and Kerr effect study 291

Tikhonov's regularization method,
normal coordinate analysis of CH_2Cl-SiX_3, $CHCl_2SiX_2$, CCl_3SiX_3 (X = H, D, F, Cl) molecules using Tikhonov's regularization method 299

CONTENTS

Polarized infrared spectra of $KHSO_4$ and $KDSO_4$ single crystals
J. Baran (Wrocław, Poland) 1
Solvent influence on rotational isomerism of chloroacetone
Z. Pawelka (Wrocław, Poland) 15
Hydrogen bonded complexes of methyl thiolacetate with proton donors: an infrared investigation in CCl_4 solution and in Ar matrices
A. Smolders, G. Maes and Th. Zeegers-Huyskens (Heverlee, Belgium) 23
The vibrational spectrum of $NaI \cdot 2X_2O$ (X = H or D)
I. Kanesaka and K. Kawai (Toyama, Japan) 41
IR spectra, methylene chain vibrations and rotational isomerism of n-alkyl trichloroacetates
Y. Mido, N. Komatsu (Kobe, Japan), J. Morcillo and M. V. Garcia (Madrid, Spain) 49
Spectral and structural study of the 4H-pyran ring containing an enaminoester moiety
J. Bellanato, F. Florencio, N. Martin and C. Seoane (Madrid, Spain) 63
Calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part I. Planar vibrations of 1-methylcytosine
K. Kuczera and M. Szczesniak (Warsaw, Poland) and K. Szczepaniak (Gainesville, FL, U.S.A.) 73
Calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part II. Planar vibrations of 5-fluorocytosine
K. Kuczera, M. Szczesniak (Warsaw, Poland) and K. Szczepaniak (Gainesville, FL, U.S.A.) 89
Calculation of the vibrational spectra of cytosine derivatives by the CNDO/2 force method. Part III. Planar vibrations of cytosine
K. Kuczera, M. Szczesniak (Warsaw, Poland) and K. Szczepaniak (Gainesville, FL, U.S.A.) 101
The vibrational spectra, structure, and conformational behavior of dimethyl dicarbonate
P. L. Lang and J. E. Katon (Oxford, OH, U.S.A.) 113
Infrared matrix isolation studies of the reactions of F_2 with sulfur and phosphorus bases
N. P. Machara and B. S. Ault (Cincinnati, OH, U.S.A.) 129
The ab initio analysis of molecular geometry and force fields in H_3XOXH_3 (X = C, Si) series
I. S. Ignatyev (Leningrad, U.S.S.R.) 139
Conformational behavior of 1-pentyne and 1-hexyne
G. A. Crowder (Canyon, TX, U.S.A.) 151
Formation of dimanganese heptoxide, Mn_2O_7, by photolysis of $Mn_2(CO)_{10}$ in O_2-doped argon matrices
M. J. Almond (Reading, Gt. Britain) 157
Vibrational assignment and conformational equilibrium for 3-fluoropropene based on ab initio calculations and high resolution far-infrared spectroscopy
J. R. Durig, T. J. Geyer, T. S. Little and D. T. Durig (Columbia, SC, U.S.A.) 165
Raman and far-infrared spectra of gaseous 1,1,1,3,3,3-hexafluoro-2-propanol, conformational stability and barriers to internal rotation
J. R. Durig, R. A. Larsen, F. O. Cox (Columbia, SC, U.S.A.) and B. J. van der Veken (Antwerp, Belgium) 183
Molecular structures of *trans* and *cis* 1,3-dibromo-1,3-dimethylcyclobutane studied by gas electron diffraction
T. Jonvik (Oslo, Norway), K. Griesbaum (Karlsruhe, F.R.G.) 203
Molecular structure and puckering potential of chlorocyclobutane studied by gas electron diffraction and Hartree–Fock calculations
T. Jonvik (Oslo, Norway) 213
Torsional potentials and conformational structures in chloro and bromo derivatives of propenal and propenoic acid obtained by molecular-mechanics calculations
G. O. Bostrøm, P. Bakken and R. Stølevik (Dragvoll, Norway) 227

Molecular structure and conformation of 2-acetyl-5-methyl-1,2,3-diazaphosphole: the use of ab initio calculations in an electron diffraction study
L. S. Khaikin, L. V. Vilkov (Moscow, U.S.S.R.) and J. E. Boggs (Austin, TX, U.S.A.) 241
The cumulant method in diffraction analysis of polyatomic molecules
A. A. Ischenko, V. P. Spiridonov, Yu. I. Tarasov and A. A. Stuchebryukhov (Moscow, U.S.S.R.) 255
Molecular structures of tert-butyl alcohol and tert-butyl methyl ether as studied by gas electron diffraction combined with vibrational spectroscopy
A. Suwa, H. Ohta and S. Konaka (Sapporo, Japan) 275
The conformations of 1,1,2,2-tetracyanoethane and 1,2-dichlorotetracyanoethane: a molecular orbital, dipole moment and Kerr effect study
Y. S. Chong, H. H. Huang (Kent Ridge, Singapore) and D. A. Winkler (Melbourne, Australia) 291
Normal coordinate analysis of CH_2ClSiX_3, $CHCl_2SiX_3$, CCl_3SiX_3 (X = H, D, F, Cl) molecules using Tikhonov's regularization method
I. V. Kochikov, G. M. Kuramshina, S. V. Syn'ko and Yu. A. Pentin (Moscow, U.S.S.R.) 299
The crystal and molecular structure of (−) *N*-[(*S*)-1-phenylethyl]-2-(*S*)-ethylsulfinyl-propenyl-1-amine
Z. Urbańczyk-Lipkowska, J. S. Krajewski, P. Gluziński, R. Kawęcki, L. Kozerski (Warsaw, Poland), G. D. Andreetti and G. Bocelli (Parma, Italy) 309
Electronic structure of metalloporphyrin π-anions
G. P. Gurinovich, I. F. Gurinovich, N. V. Ivashin, G. N. Sinyakov, A. M. Shulga, S. N. Terekhov, I. V. Filatov (Minsk, U.S.S.R.) and K. Dzilinski (Czestochowa, Poland) 317
202 MHz ^{31}P NMR performances. Part V. Two-dimensional ^{31}P NMR approaches in the cyclophosphazenic series
B. Perly, P. Berthault (Gif-sur-Yvette, France), L. Vidaud and J.-F. Labarre (Toulouse, France) 345
Unexpected chirality in *trans*-1,4-dicyanocyclohexane
M. Barón, J. A. Medrano, M. Ferraro and A. H. Buep (Buenos Aires, Argentina) 355
Solid-state structure and conformation of the cognition activator 3-phenoxypyridine sulphate: X-ray, two-dimensional ^1H NMR and ^{13}C NMR, and theoretical MO-MNDO studies
G. Bandoli (Padova, Italy), A. Grassi, E. Montoneri, G. C. Pappalardo (Catania, Italy) and B. Perly (Gif-sur-Yvette, France) 369
Synthesis and structural study of *N*-(8-isopropyl-northopan-3-α-yl)-2-methoxy-4-amino-5-chlorobenzamide
N. Cabezas, M. Martinez (Madrid, Spain), E. Galvez, M. S. Arias (Alcalá de Henares, Spain), F. Florencio and S. Garcia-Blanco (Madrid, Spain). 381
Conformational characterization of poly(L-phenylalanine) in the solid state by ^{13}C CP-MAS NMR spectroscopy
H. Miyamoto, R. Takezaki, T. Komoto, I. Ando, H. Saitô (Tokyo, Japan), T. Ozaki and A. Shoji (Gunma, Japan) 395
Crystallographic studies and physicochemical properties of π-electron compounds. Part XI. Crystal and molecular structure of sodium *p*-nitrobenzoate trihydrate
I. Turowska-Tyrk, T. M. Krygowski (Warsaw, Poland), M. Gdaniec (Poznań, Poland), G. Häfelinger and G. Ritter (Tübingen, F.R.G.) 401
Crystallographic studies and physicochemical properties of π-electron systems. Part XIV. Crystal and molecular structure of *N,N*-dimethyl-*p*-nitroanaline
J. Maurin and T. M. Krygowski (Warsaw, Poland). 413
The X-ray structure of 4-amino-7,8-dioxo-5,6,7,8-tetrahydro-1*H*-pyrazino[2,3-*c*]-1,2,6-thiadiazine-2,2-dioxide olate oxonium salt and the problem of the structure of the oxonium ion
J. Elguero, P. Goya, J. A. Paez, C. Foces-Foces, F. H. Cano and M. Martinez-Ripoll (Madrid, Spain) 423

Short Communication
Molecular mechanics calculations for some dimethylalkanes
G. A. Crowder (Canyon, TX, U.S.A.). 433

Book reviews 437

Corrigendum. 441

Author Index 443

Subject Index 444